



CHRISTIE ENGINEERING

ABN 062468

High Powered Outback Battery Charger
GX10080ND - 12 Volt 80 Amp



POWERED by
HONDA™

SPECIFICATIONS

Weight	22kg
Dimensions (mm)	465L x 330W x 470H
Engine	Honda GX100 air cooled
Alternator	Bosch 80 amp
Max eng. power	3hp@3600rpm
Fuel Capacity	1.2 Litres
Fuel Type	4-stroke unleaded petrol
Fuel Consumption	Approx. 3/4 Litres/hour
Oil Capacity	0.4 Litres
Starting System	Recoil
Electric Output	12 Volts D.C
Max Voltage Low	14 Volts regulated
Max Voltage High	14.8 Volts regulated
Max Amp Output	80 Amps
Voltage Cut Out	18 Volts

FEATURES

- Environmentally friendly OHC Honda 100cc 4-stroke engine
- Low or high charge rate, by the flick of a switch
- Short circuit and over voltage
- protected.
- Super bright LED charge indicator
- Lightweight, portable, weighing only 22kgs
- High current Leads included, 3m long
- with heavy-duty alligator clamps

USES

- Ideal for charging up to 2- N70 cranking batteries at once
- Farmers can supply enough charge in as little as 5 minutes to start any machinery.
- Run car fridges for 24 hours and charge your batteries in as little as 1 hour
- 12 Volt lighting or other appliances can be powered in emergency situations
- Ideal for the marine industry, backup for solar powered sites, emergency services, earthmoving contractors, mobile mechanics, or anyone working in the outback
- Note- some deep cycle batteries will not accept a fast charge & may require trickle charging for a long period of time.

ALSO AVAILABLE IN ELECTRIC START



CHRISTIE
ENGINEERING

Contact us with any further queries;



www.christieengineering.com.au



enquiries@christieengineering.com.au



(02) 9620 1208



123 Delaware Road Horsley Park
NSW 2175

